

Five-Function Electric ICU Bed

Intensive Care Unit (ICU) Electric Hospital Bed



5 Electric Functions

Backup Battery

Under-bed Night Light

Manual & One-key CPR

This catalog summarizes the functional and technical specifications of the electric ICU bed for procurement and tender evaluation purposes. Full parameter details, standard accessories, and manufacturer information are provided on the following pages.

Manufacturer: Anyang Top Medical Devices Co., Ltd.

Website: www.hospitalbedscn.com | **Email:** export@hospitalbedscn.com

Functions

Backrest Lifting Angle	0–85°
Knee-rest Lifting Angle	0–45°
Reverse & Trendelenburg	15° ± 2°
Hi-Lo Adjustment	480–750 mm
CPR Function	Manual and one-key CPR release

General Information

Product Name	Intensive Care Unit (ICU) Electric Bed
Overall Dimensions	L 2150 mm × W 980 mm × H 480–700 mm
Frame Material	Perforated, epoxy powder-coated steel
Weight	100 kg
Platform	MS perforated platform with ventilation holes, 4 sections
Loading Capacity	240 kg (480 lbs)
Electric Bed Voltage	230–240 V, 50 Hz / 110 V, 60 Hz (optional)
Packaging Box Dimensions	L 2200 mm × W 1050 mm × H 550 mm

Standard Accessories

Head & Footboard	1 pair (detachable ABS)
Side Rails	2 pairs (4 pcs ABS panel with angle indicator)
Castor Wheels	4 pieces (6" deluxe, central locking)
Bumper Balls	4 pieces
Hand Controller	1 unit
Under-bed Night Light	Included
Backup Battery	Included
Infusion / Drainage Hooks	1 unit (adjustable height)

Manufacturer Information

Anyang Top Medical Devices Co., Ltd.

Address: Pharmaceutical Industrial Park, Tanyin County, Anyang City, Henan Province, China

Email: export@hospitalbedscn.com

Website: www.hospitalbedscn.com

All technical parameters are subject to the manufacturer's standard configuration and may be customized on request. For tender submissions, please reference this catalog together with the signed technical compliance sheet.